

ANHANG – LITERATURVERZEICHNIS

Die frühen Jahre – Pinche und Co.

1. Plasmaphysik in Gasen; E. Fünfer, Physikertagung Düsseldorf 1964, Plenarvorträge 346, (1964)
2. Isar 1, a Fast Megajoule Theta Pinch Experiment with Extremely High Compression Fields; C. Andelfinger, G. Decker, E. Fünfer, A. Heiss, M. Keilhacker, J. Sommer, M. Ulrich, 2nd Conference on Plasma Physics and Controlled Nuclear Fusion, CN 21/49, Culham 1965
3. Experimenteller Nachweis von Spiegelinstabilitäten am Theta-Pinch ISAR 1; M. Kaufmann, J. Neuhauser, H. Röhr, IPP-Report 1/105 (1970)
4. Survey on the linear Theta-Pinch Work in Garching; E. Fünfer, Inv. Pap. on the APS Topical Conference on Pulsed High Density Plasmas, Los Alamos 1967, LA 3770
5. Experimente mit einem linearen $I=1$ Hoch-Beta-Stellarator an ISAR 1; M. Kaufmann, E. Fünfer, J. Junker, J. Neuhauser, IPP-Report 1/111, 1970
6. Toroidal High-Beta Stellarator Experiments on ISAR T1; E. Fünfer, M. Kaufmann, W. Lotz, M. Münich, J. Neuhauser, G. Schramm, U. Seidel, Proc. 2nd Topical Conference on Pulsed High-Beta Plasmas, Garching, IPP 1/127, A 2 (1972)
7. High-Beta-Stellarator Experiments on ISAR T1; E. Fünfer, M. Kaufmann, W. Lotz, J. Neuhauser, G. Schramm, U. Seidel, Nucl. Fusion 15, (1975) 133
8. Plasma Confinement in the Toroidal Belt-Pinch; W. Grossmann, H. Krause, R. Wilhelm, H. Zwicker, Proc. 2nd Topical Conference on Pulsed High-Beta Plasmas, Garching, IPP 1/127, F1 (1972)
9. Stability of High-Beta Equilibria and Transport in Belt-Pinch IIa; G. Becker, O. Gruber, H. Krause, F. Mast, R. Wilhelm, Nucl. Fusion 18, (1978) 1653
10. The Garching Belt Pinch Experiments; R. Wilhelm, Nucl. Fusion, Vol.25, No.9 (1985) 105



Stellaratoren – Von Wendelstein 1-A zu Wendelstein 7-X

1. The Stellarator Concept; L. Spitzer Jr., Phys. Fluids 1 (1958) 253
2. Electron energy transport in the presence of rational surfaces in the Wendelstein 7-AS stellarator; R. Brakel, Nuclear Fusion 42 (2002) 903
3. Neutral Injection in the Wendelstein VII-A Stellarator with reduced Ohmic Current; WVII-A Team, Neutral Injection Team, IAEA-CN-38/H-2-2, IAEA-Conference, Brussels, 1980
4. A stellarator field produced by twisted coils; Rehker, S., Wobig, H., 6th European Conference on Controlled Fusion and Plasma Physics, Moscow USSR, Vol. I, (1973) 117
5. Quasi-helically Symmetric Stellarators; J. Nührenberg, R. Zille, Phys. Lett. A 129 (1988) 113
6. Physics Optimisation of Stellarators; G. Grieger et al., Phys. Fluids B 4 (1992) 2081
7. Major Results from the Stellarator Wendelstein 7-AS; M. Hirsch et al., Plasma Phys. Controlled Fusion 50 (2008) 053001
8. W7-AS: One step of the Wendelstein stellarator line; F. Wagner et al., Phys. Plasmas 12 (2005) 072509
9. New Advanced Operational Regime on the W7-AS Stellarator; K. McCormick et al., Physical Review Letters 89 (2002) 015001
10. Status of Wendelstein 7-X Construction; L. Wegener, Fusion Eng. Design 84 (2009) 106
11. Physics Programme for Initial Operation of Wendelstein 7-X; H. S. Bosch et al., Contrib. Plasma Phys. (2010)

ANHANG – LITERATURVERZEICHNIS

Stellarator-Theorie – Der optimierte Stellarator

1. Guiding center drift equations; A.H. Boozer, Phys. Fluids 23 (1980) 904
2. Quasi-helically symmetric toroidal stellarators; J. Nührenberg and R. Zille, Phys. Lett. A129 (1988) 113
3. Quasi-axisymmetric tokamaks; J. Nührenberg et al., Theory of Fusion Plasmas (1994) 3
4. Quasi-isodynamic stellarators; S. Gori et al., Theory of Fusion Plasmas (1996) 335
5. Some considerations on closed configurations of magnetohydrostatic equilibrium; D. Palumbo, Nuov. Cimento B 53 (1968) 507



Tokamaks – Pulsator, ASDEX und ASDEX Upgrade

52 53

1. The Pulsator Tokamak; Pulsator team, Nucl. Fusion 25, (1985) 1059
2. High-density tokamak discharges in the pulsator device with the ratio of plasma kinetic pressure to magnetic pressure greater than 1; Klüber O. et al., Nucl. Fusion 15, (1975) 1194
3. High-density discharges in ALCATOR Tokamak; Gaudreau M. et al., Phys. Rev. Letters 39, (1977) 1266
4. Particle Transport Phenomena in ASDEX; Behringer K. et al., Proc. IAEA Tech. Comm. Mtg. Garching, (1981) 42
5. The ASDEX Tokamak; Keilhacker M. et al., Nucl. Fusion 25, (1985) 1045
6. Attainment of high confinement in neutral beam heated divertor discharges in the PDX Tokamak; Kaye S. M. et al., J. Nucl. Mater. 121, (1984) 115
7. A quarter-century of H-mode studies; F. Wagner, Plasma Phys. Control. Fusion 49, B1 (2007)
8. Special Issue on ASDEX Upgrade; ASDEX Upgrade Team, Fusion Science and Technology 44 3 (2003) 569
9. H-mode discharges with feedback controlled radiative boundary in the ASDEX Upgrade tokamak; A. Kallenbach et al., Nuclear Fusion 35, 10 (1995), 1231-1246
10. Plasma wall interaction and its implication in an all tungsten divertor tokamak; R. Neu et al., Plasma Physics and Controlled Fusion 49, 12B (2007), B59-B70
11. Experiments on neoclassical tearing mode stabilization by ECCD in ASDEX Upgrade; H. Zohm et al., Nuclear Fusion 39, 5 (1999), 577-580
12. Stationary H-Mode Discharges with Internal Transport Barrier on ASDEX Upgrade; O. Gruber et al., Physical Review Letters 83, 9 (1999), 1787-1790

ANHANG – LITERATURVERZEICHNIS

Tokamak-Theorie – Unterwegs zum numerischen Tokamak

1. Axialsymmetrische magnetohydrodynamische Gleichgewichtskonfigurationen; R. Lüst, A. Schlueter, Z. Naturforsch. 12a (1957) 850
2. Der Einfluß der elektrischen Leitfähigkeit auf das Gleichgewichtsverhalten von Plasmen niedrigen Drucks in Stellaratoren; D. Pfirsch, A. Schlueter, Rep. MPI/PA/7/62, Max-Planck-Institut für Plasmaphysik, Garching (1962)
3. Torusartige Plasmakonfigurationen ohne Gesamtstrom durch ihren Querschnitt im Gleichgewicht mit einem Magnetfeld, F. Meyer, H.U. Schmidt, Z. Naturforsch. 13a (1958) 1005
4. Nonlinear Magnetohydrodynamics; D. Biskamp, Cambridge University Press (1993)
5. A theorem on MHD-Instability of plasmas with resistive walls; D. Pfirsch, H. Tasso, Nucl. Fusion 11 (1971) 259
6. The general „peeling“ instability; D. Lortz, Nucl. Fusion 15 (1975) 49
7. Computation of ideal MHD equilibria; K. Lackner, Comp. Phys. Commun. 12 (1976) 33
8. Erato stability code; R. Gruber et al., Comp. Phys. Commun. 21 (1981) 323
9. A computer model of radial transport in Tokamaks; D. F. Düchs, D. E. Post, P. H. Rutherford, Nucl. Fusion 17 (1977) 565
10. Plasma-wall transition in an oblique magnetic field; R. Chodura, Physics of Fluids 25 (1982) 1628
11. Computational Studies in Tokamak Equilibrium and Transport; B. J. Braams, PhD thesis (1986) Rijksuniversiteit, Utrecht, Niederlande
12. Numerical simulation of ion cyclotron waves in tokamak plasmas; M. Brambilla, Plasma Phys. Control. Fusion 41 (1999) 1
13. Electron temperature gradient driven turbulence; F. Jenko et al., Physics of Plasmas 7, 1904 (2000)
14. Scale Separation between Electron and Ion Thermal Transport; T. Görler and F. Jenko, Physical Review Letters 100, 185002 (2008)
15. Free-energy conservation in local gyrofluid models; B. Scott, Phys. Plasmas, 12 (2005) 102307
16. A global collisionless PIC code in magnetic coordinates; S. Jolliet, A. Bottino, P. Angelino et al., Computer Physics Comm., 177 (2007) 409
17. LIGKA: A linear gyrokinetic code for the description of background kinetic and fast particle effects on the MHD stability in tokamaks; Ph. Lauber et al., J. Comp. Phys., 226/1 (2007)
18. The HAGIS self-consistent nonlinear wave-particle interaction model; Pinches S.D. et al, Computer Physics Comm., 111 (1998)
19. Nonlinear Effects of Energetic Particle Driven Modes in Tokamaks; M. Brüdgam, PhD-Thesis, TU München 2010
20. Fast-Ion Losses due to High-Frequency MHD Perturbations in the ASDEX Upgrade Tokamak; M. Garcia-Munoz, et al., Phys. Rev. Letters 100, 055005 (2008)



Plasmaheizung – Neutralteilchen- und Hochfrequenz-Heizungen

1. Neutral beam heating of fusion plasmas; E. Speth, Rep. Progr. Phys. 52 (1989) 57-121
2. Observation of a high-confinement regime in a tokamak plasma with ion-cyclotron-resonance heating; K. Steinmetz, J.-M. Noterdaeme, F. Wagner, F. Wesner and et al., Phys. Rev. Lett. 58 (1987) 124
3. The role of the Faraday screen in ICRF antennas: Comparison of an optically open and an optically closed screen on ASDEX; J.-M. Noterdaeme, R. Ryter, M. Söll and ICRH Group, Controlled Fusion and Plasma Heating, (Schliersee, 1986), Europhysics Conference Abstracts Vol. 10C(I), EPS 137-140
4. Parametric decay in the edge plasma of ASDEX during fast wave heating in the ion cyclotron frequency range; R. Van Nieuwenhove, G. Van Oost, J.-M. Noterdaeme, M. Brambilla, J. Gernhardt and M. Porkolab, Nucl. Fusion 28 (1988) 1603-1609
5. ICRF heating results in ASDEX Upgrade and W7-AS; J.-M. Noterdaeme, S. Wukitch, D.A. Hartmann, M. Brambilla, F. Braun, G. Cattanei, J. Gafert, J.F. Lyon, R. Neu, V. Plyushnin, W. Sutrop, S. J., W. Schneider, P. Verplancke, F. Wesner, ICRF Team, NI Team, ASDEX Upgrade Team and W7-AS Team, 16th IAEA Conf. on Fusion Energy, (Montreal, 1996), Vol. 3, IAEA 335-342
6. Minority Heating Experiments on the W7-AS Stellarator; M. Ballico, G. Cattanei, J.M. Noterdaeme, W. Becker, F. Braun, F. Hofmeister and F. Wesner, Radio Frequency Power in Plasmas, (Charleston, USA, 1991), Vol. 224, AIP (1992) 150-154
7. A Toroidally Broad Antenna for Ion Cyclotron Resonance Heating of Large Tokamaks; G. Cattanei and A.B. Murphy, Nucl. Fusion 29 (1989) 15-26
8. ICRF Results from W7-AS; D. Hartmann, G. Cattanei, F. Braun, T. Sperger, F. Wesner, S. Fiedler, W7-AS Team, J.F. Lyon and V. Plyusnin, Radio Frequency Power in Plasmas, (Savannah, 1997), AIP Conference Proceedings Vol. 403, AIP 49-56
9. ICRF Heating experiments in the W7-AS stellarator using a narrow k// antenna; M. Ballico, G. Cattanei, V. Plyusnin, W7-AS Team and ICRH Team, Controlled Fusion and Plasma Physics, (Lisboa, 1993), Vol. III, EPS (1993) 945-948
10. ICRF wall conditioning experiments in the W7-AS stellarator; R. Brakel, D. Hartmann, P. Grigull and W7-AS Team, Journal of Nuclear Materials 29 (2001) 1160
11. Heating, Current Drive and Energetic Particles Studies on JET in Preparation of ITER Operation; J.M. Noterdaeme, R. Budny, A. Cardinali, C. Castaldo, R. Cesario, F. Crisanti, J. deGrassie, D. D'ippolito, F. Durodie, A.C. Ekedahl, L.C. Ingesson, E. Joffrin, D. Hartmann, J. Heikkinen, T. Hellsten, T.T.C. Jones, V. Kiptily, P. Lamalle, X. Litaudon, F. Nguyen, J. Mailloux, M. Mantsinen, M.-L. Mayoral, D. Mazon, F. Meo, I. Monakhov, J.R. Myra, J. Paméla, V. Pericoli, O. Sauter, Y. Sarazin, S. Sharapov, A. Tuccillo, D. Van Eester and EFDA-JET, Fusion Energy, (Lyon, 2002), Vol. IAEA-CN-94, IAEA EX-W1
12. Numerical simulation of ion cyclotron waves in tokamak plasmas; M. Brambilla, Plasma Phys. and Control. Fusion 41 (1999) 1-34
13. Advances in numerical simulations of ion cyclotron heating in non-Maxwellian plasmas; M. Brambilla and R. Bilato, Nucl. Fusion 49 (2009) 085004

ANHANG – LITERATURVERZEICHNIS

14. First ECRH-experiments on the W VII-A stellarator; R.Wilhelm, G. Janzen, G. Müller, et al., Plasma Phys. and Controlled Fusion 26, (1984) 259
15. Wave Absorption and Transport Studies on ECR-Heated Stellarator Plasmas in W VII-A; V. Erckmann, ECRH-Team (IPF Stuttgart) and W7-A Team, Plasma Physics and Controlled Nuclear Fusion Research 1984 (Proc. 10th Int. Conf. London 1984), Vol 2, IAEA Vienna (1985) 419
16. Electron Cyclotron Resonance Heating Transmission Line and Launching System for the W7-AS Stellarator; V. Erckmann, W7-AS Team, W. Kasperek, G.A. Müller, P.G. Schüller and M. Thumm, Fusion Technology, Vol. 17, (1990), 76
17. H mode of the W 7-AS stellarator, V. Erckmann, F. Wagner, J. Baldzuhn, R. Brakel, et al., Phys. Rev. Letters 70, No.14 (1993), 2086–2089
18. Strong Microwaves in Plasmas; H. Maßberg, C.D. Beidler, V. Erckmann, U. Gasparino, J. Geiger, H. Laqua, N. Marushchenko, S. Murakami and the W7-AS Team, Editor A.G. Litvak, Inst. of Appl. Physics, Nizhny Novgorod, Russia, Vol.1 (2000) 7-26
19. Resonant and Nonresonant Electron Cyclotron Heating at Densities above the Plasma Cutoff by O-X-B Mode Conversion at the W7-AS Stellarator; H. P. Laqua, V. Erckmann, H.J. Hartfuß, H. Laqua, W7-AS Team, and ECRH Group, Phys. Rev. Lett. 78 (1997) 3467
20. Electron Cyclotron Heating for W7-X: Physics and Technology; V. Erckmann, P. Brand, H. Braune, G. Dammertz, G. Gantenbein, W. Kasperek, H. P. Laqua, H. Maassberg, N. B. Marushchenko, G. Michel, M. Thumm, Y. Turkin, M. Weissgerber, A. Weller, and the W7-X ECRH- teams at IPP Greifswald, FZK Karlsruhe, and IPF Stuttgart, Fusion Science and Technology, Vol. 52, No.2 (2007) 291-312
21. Electron heat transport in ASDEX Upgrade: experiment and modelling; F. Ryter et al., Nuclear Fusion 43 (2003) 1396
22. Relationship between density peaking, particle thermodiffusion, Ohmic confinement and microinstabilities in ASDEX Upgrade; C.Angioni et al., Physics of Plasmas, 12 (2005) 040701-1
23. Complete suppression of neoclassical tearing modes with current drive at the electron cyclotron resonance frequency in ASDEX Upgrade tokamak; G. Gantenbein et al., Phys.Rev.Lett. 85 (2000) 1242
24. Enhancement of the stabilization efficiency of a neoclassical magnetic island by modulated electron cyclotron current drive in the ASDEX Upgrade tokamak; M. Maraschek et al., Phys.Rev.Lett. 98 (2007) 025005
25. Influence of the heating profile on impurity transport in ASDEX Upgrade; R. Dux et al., Plasma Physics and Contr. Fusion 45 (2003) 1815
26. Sawtooth control experiments in ASDEX Upgrade; A. Mück et al., Plasma Physics and Contr. Fusion 47 (2005) 1633 -1655
27. Status of the new ECRH system for ASDEX Upgrade; F. Leuterer et al., Fusion Engineering and Design, 74 (2005) 199
28. Progress and first results with the new multifrequency ECRH system for ASDEX Upgrade; D. Wagner et al., IEEE Transactions on Plasma Science, 37 (2009) 395



Oberflächenphysik und Materialforschung – Wandprobleme

1. Calculation and experimental test of the cooling factor of tungsten; T. Pütterich, R. Neu, R. Dux et al., Nucl. Fus. 50 (2010) 025012
2. Calculations of Energy-Losses due to Atomic Processes in Tokamaks with Applications to the International Thermonuclear Experimental Reactor Divertor; D. Post, Physics of Plasmas 2 (1995) 2328
3. Sputtering Data; W. Eckstein, C. Garcia-Rosales, J. Roth, W. Ottenberger, Report IPP 9/82 (1993)
4. Chemical Sputtering; W. Jacob, J. Roth, Topics of Applied Physics 110 (Springer, Berlin 2007) 329
5. Plasma–wall interaction: Important ion induced surface processes and strategy of the EU Task Force; J. Roth, E. Tsitrone, A. Loarte, Nuclear Instruments and Methods B258 (2007) 253
6. Ten years of W programme in ASDEX Upgrade – challenges and conclusions; R. Neu et al., Physica Scripta (2009) 014038
7. Tritium inventory in ITER plasma-facing materials and tritium removal procedures; J. Roth et al, Plasma Physics and Controlled Fusion 50 (2008) 103001
8. Deuterium retention in self-damaged tungsten; B. Tyburska, V. Kh. Alimov, O.V. Ogorodnokova, K. Schmid, K. Ertl, Journal of Nuclear Materials 395 (2009) 150
9. High heat flux facility GLADIS: Operational characteristics and results of W7-X pre-series target tests; H. Greuner, B. Böswirth, J. Boscar, P. McNeely, Journal of Nuclear Materials 367-370 (2007) 1444
10. Differential cross-section of the $D(^3He, p)^4He$ nuclear reaction and depth profiling of deuterium up to large depths; V. Kh. Alimov, M. Mayer, J. Roth, Nuclear Instruments and Methods B324 (2005) 169
11. Deuterium permeation through Eurofer and α -alumina coated Eurofer; D. Levchuk, F. Koch, H. Maier, H. Bolt, Journal of Nuclear Materials 328 (2004) 103
12. Self passivating W-based alloys as plasma-facing material; F. Koch, S. Köppl, H. Bolt, Journal of Nuclear Materials 386-388 (2009) 572

ANHANG – LITERATURVERZEICHNIS

Ausblick: ITER, DEMO und das erste Kraftwerk

1. <http://www.iter.org>
2. JET Special Issue; JET Team, Fusion Science and Technology 53 (2008) 861
3. Power plant conceptual studies in Europe; D. Maisonnier et al., Nucl. Fusion 47 (2007) 1524

